

# Dr paws hospital

## Veterinary Chemistry Analyzer Test Report

Patient Species: dog

ID: 1573

Patient Name: flaffy

Owner: mohamed alyazal

Patient Gender: Male

Patient Age: 9.1 Year

Sample Type: Serum

Abnormal Sample: **Hemolysis**

Item	Result	Ranges	Unit	Tip		
				Low	Normal	High
ALB	3.4	2.3-4.4	g/dL			
TP	6.1	5.2-8.2	g/dL			
GLOB	2.7	2.3-5.2	g/dL			
ALB/GLOB	1.26					
Ca	6.8	7.9-13	mg/dL			
GLU	47	74-143	mg/dL			
BUN	13.9	7-28.2	mg/dL			
P	5.31	2.5-6.8	mg/dL			
¡Á-AMY	389	200-1500	U/L			
TC	145	110-320	mg/dL			
ALT	234	0-112	U/L			
AST	231	0-50	U/L			
AST/ALT	0.99					
T-BIL	0.31	0-0.9	mg/dL			
ALP	275	10-212	U/L			
CREA	0.66	0.3-1.5	mg/dL			
BUN/CREA	21					
CK	1575	10-200	U/L			

Diagnosis:

Remarks:

Submit Time: 2023-05-28 19:53:46

Analysis Time: 2023-05-28 19:53:46

Print Time: 2023-05-29 22:14:47

Submitter:

Operator:

Reviewer:

The results is only responsible for this sample

Better healthcare for all